# OHIO PUBLIC WORKS

# APPLICATION FOR FINANCIAL ASSISTANCE Revised 7/93 CBIO6

IMPORTANT: Applicant should consult the "Instructions for Completion of Project Application" for assistance in the proper completion of this form.

SUBDIVISION: GREEN	TOWNSHIP	CODE # 061 _ 31752
		70.00
DISTRICT NUMBER: 2	OUNTY: Hamitteon	DATE 8 / 30/ 96
CONTACT: Fred Schl	imm PHC	NE # (513) 574-8832
(THE PROJECT CONTACT PERSON SHOULD BE THE INI AND SELECTION PROCESS AND WHO CAN BEST ANSW		DAY-TO-DAY BASIS DURING THE APPLICATION REVIEW JESTIONS)
PROJECT NAME: Nor	th Glen Road (east	c) Reconstruction
SUBDIVISION TYPE	FUNDING TYPE REQUE	CTER BRAILET TARR
	-	· · · · · · · · · · · · · · · · · · ·
(Check Only 1)	(Check All Requested & Enter Amount)	(Check Largest Component)
1. County	X1. Grant \$ 18	2,560 X1. Road
_ 2. City	2. Loan	
X 3. Township	3. Loan Assistance S	
-		
4. Village	MBE SET-ASIDE OFFER	
5. Water/Sanitary District	Construction S	5. Solid Waste
(Section 6119 O.R.C.)	Procurement \$	
	STRICT RECOMMEN completed by the District Con	
GRANT: \$ 182,560.00	LOAN ASSISTANCE: \$	
LOAN: \$	%TERM:yrs(	
(Check Only I)		
_ State Capital Improvement Program	$\mathbf{r}$	ISTRICT MBE SET-ASIDE:
X Local Transportation Improvements		Construction \$
<del>-</del>	•	
_ Small Government Program		rocurement \$
resing Mariting Comment for any of the second problem of \$100 and the configuration of the	de la la companya de la companya de La companya de la co	
	FOR OPWC USE ONI	.Y
PROJECT NUMBER: C/C	· APPD	OVED FUNDING: \$
Local Participation%		
		Interest Rate:%
OPWC Participation%	Loan	Term:years
Project Release Date:	Matur	rity Date:
OPWC Approval:		1
· ·		xpprovea:

## 1.0 PROJECT FINANCIAL INFORMATION

1.1	PROJECT ESTIMATED COST (Round to Nearest Dollar)	°S:	MBE \$	Force Account
a.)	Project Engineering Costs:  1. Preliminary Engineering  2. Final Design  3. Other Engineer's Services*  Supervision \$	\$		\$ 
b.)	Acquisition Expenses: 1. Land 2. Right-of-Way	\$		
c.)	Construction Costs:	\$ <u>260,800,00</u>		
d.)	Equipment Purchased Directly:	\$00		_
e.) f.)	Other Direct Expenses: Contingencies:	\$00		<del>-</del>
1.)	Contingencies:	\$ <u>.00</u>		<b>-</b>
g.)	TOTAL ESTIMATED COSTS:	\$260,800 <u>,00</u>	<u> </u>	
1.2	PROJECT FINANCIAL RESOU (Round to Neurest Dollar and Percent)	RCES:		
,				%
a.)	Local In-Kind Contributions	\$		
b.) c.)	Local Public Revenues  Local Private Revenues	\$ <u>78,24000</u>		30
d.)	Other Public Revenues	\$		
۵.)	1. ODOT PID#	\$00		
	2. EPA/OWDA			*** <u> </u>
	3. OTHER	\$00 \$00		
		Ψ(Λ)		-
SUB-	TOTAL LOCAL RESOURCES:	\$ <u>78</u>	3,240 .00	30
e.)	OPWC Funds			
	1. Grant	<b>\$182,560,00</b>		70
	2. Loan	\$00		
	3. Loan Assistance	\$		
SUB-	FOTAL OPWC RESOURCES:	<u>\$ 18</u>	32,560 <u>,00</u>	70
f.)	TOTAL FINANCIAL RESOURC	ES: \$ 26	30,800 <u>,00</u>	100%

<sup>&</sup>quot;Other Engineer's Services must be outlined in detail on the required certified engineer's estimate.

## 1.3 AVAILABILITY OF LOCAL FUNDS:

Attach a summary from the <u>Chief Financial Officer</u> listed in section 5.2 listing <u>all local share funds</u> budgeted for the project and the date they are anticipated to be available.

## 2.0 PROJECT INFORMATION

IMPORTANT: If project is multi-jurisdictional, information must be consolidated in this section.

- 2.1 PROJECT NAME: North Glen Road (east) Reconstruction
- 2.2 BRIEF PROJECT DESCRIPTION (Sections a through d):
  - a.) SPECIFIC LOCATION:

Eastern most leg of North Glen Road from Aurora Avenue to east terminus.

PROJECT ZIP CODE: 45248

b.) PROJECT COMPONENTS:

Remove existing pavement to sub-grade. Undercut and repair sub-grade. Rebuild catch basins, replace storm pipe and add where necessary. Rebuild pavement with 13" crushed stone, geogrid fabric, overlay with 5"-7" asphalt, and install vertical curb.

c.) PHYSICAL DIMENSIONS/CHARACTERISTICS:

Two lanes, 25' wide, 970' in length

## d.) DESIGN SERVICE CAPACITY:

IMPORTANT: Detail shall be included regarding current service capacity vs proposed service level. If road or bridge project, include ADT. If water or wastewater project, include both current residential rates based on monthly usage of 7,756 gallons per household. Attach current rate ordinance.

Residential street. Reconstruction to maintain present service capacity.

**ADT 490** 

588 VPD

2.3 USEFUL LIFE/COST ESTIMATE: Project Useful Life: 20 Years.

Attach Registered Professional Engineer's statement, with original seal and signature certifying the project's useful life indicated above and estimated cost.

## 3.0 REPAIR/REPLACEMENT or NEW/EXPANSION:

TOTAL PORTION OF PROJECT REPAIR/REPLACEMENT \$260,800 100% State Funds Requested for Repair and Replacement \$182,560 70% TOTAL PORTION OF PROJECT NEW/EXPANSION State Funds Requested for New and Expansion (SCIP Project Grant Funding for New and Expansion cannot exceed 50% of the total Project Costs.) 4.0 PROJECT SCHEDULE:\* **BEGIN DATE** END DATE 4.1 Engineering/Design: <u>1 /10/ 97</u> 6 / 30/ 97 4.2 Bid Advertisement: 7 / 1/ 97 7 / 31/ 97 4.3 Construction: 6 / 30/ 98

## 5.0 APPLICANT INFORMATION:

_		_
<b>5.1</b>	CHIEF EXECUTIVE	
	OFFICER	Thomas R. Maley
	TITLE	Administrator
	STREET	6303 Harrison Avenue
		Cincinnati, Ohio 45247
	CITY/ZIP	
	PHONE	<u>(513)</u> 574 - 4848
	FAX	( <u>513</u> ) <u>574</u> <u>- 6260</u>
5.2	CHIEF FINANCIAL	
	OFFICER	Stephen E. Grote
	TITLE	Clerk
	STREET	
	SIRESI	6303 Harrison Avenue Cincinnati, Ohio 45247
-	CITY/ZIP	<u> </u>
	PHONE	( <u>513</u> ) <u>574</u> - <u>4848</u>
	FAX	( <del>513</del> ) 574 <u>6260</u>
5.3	PROJECT MANAGE	
	TITLE	Adam Goetzman
	STREET	Public Works Director
		6303 Harrison Avenue
	CITY/ZIP	Cincinnati, Ohio 45247
	PHONE	(513) 574 - 4848
	FAX	(513) 574 - 6260
	<del>_</del>	()

<sup>\*</sup> Failure to meet project schedule may result in termination of agreement for approved projects. Modification of dates must be approved in writing by the Commission once the Project Agreement has been executed. Dates should assume project agreement approval/release on July 1st. of the Program Year applied for.

## 6.0 ATTACHMENTS/COMPLETENESS REVIEW:

Check each section below, confirming that all required information is included in this application. A certified copy of the legislation by the governing body of the applicant authorizing a designated official to submit this application and execute contracts. (Attach) A summary from the applicant's Chief Financial Officer listing all local share funds budgeted for the project and the date they are anticipated to be available. (Attach) A registered professional engineer's estimate of projects useful life and cost estimate, as required in 164-1-14 and 164-1-16 of the Ohio Administrative Code. Estimates shall contain engineer's original seal and signature. (Attach) N/AA copy of the cooperation agreement(s) if this project involves more than one subdivision or district.(Attach) Capital Improvements Report: (Required by 164 O.R.C. on standard form) X A: Attached. B: Report/Update Filed with the Commission within the last twelve months. N/A Floodplain Management Permit: Required if project is in 100 year floodplain. See Instructions. X Supporting Documentation: Materials such as additional project description, photographs, economic impact (temporary and/or full time jobs likely to be created as a result of the project), and other information to assist your district committee in ranking your project.

## 7.0 APPLICANT CERTIFICATION:

The undersigned certifies that: (1) he/she is legally authorized to request and accept financial assistance from the Ohio Public Works Commission; (2) that to the best of his/her knowledge and belief, all representations that are part of this application are true and correct; (3) that all official documents and commitments of the applicant that are part of this application have been dulyauthorized by the governing body of the applicant; and, (4) should the requested financial assistance be provided, that in the execution of this project, the applicant will comply with all assurances required by Ohio Law, including those involving minority business utilization, Buy Ohio, and prevailing wages.

IMPORTANT: Applicant certifies that physical construction on the project as defined in the application has NOT begun, and will not begin until a Project Agreement and a Notice To Proceed for this project has been executed with the Ohio Public Works Commission. Action to the contrary will result in termination of the agreement and withdrawal of Ohio Public Works Commission funding of the project.

Thomas R. Maley, Administrator
Certifying Representative (Type or Print Name and Title)

Signature/Date Signed

PROJECT:

NORTH GLEN

ENG. EST.: \$260,800

ENGINEER'S **ESTIMATE** 

DESCRIPTION	<u>UNIT</u>	<u>QUANT</u>	<u>UNIT</u>	TOTAL
REMOVE EX. PAVEMENT (RIGID INCL. CURB)	SY	2800	10.00	\$ 28,000
UNDERCUT, REMOVE & REPLACE	CY	600	50.00	\$ 30,000
CURB TYPE 6	LF	2000	10.00	\$ 20,000
REMOVE & REPLACE CONCRETE DRIVE APRONS	sy	500	25.00	\$ 12,500
REMOVE & REPLACE SIDEWALK	SF	1000	6.00	\$ 6,000
HANDICAP RAMPS	EA	2	250.00	\$ 500
CATCH BASIN CB-3	EA	6	1200.00	\$ 7,200
STORM MH TYPE 3	EA	3	1500.00	\$ 4,500
12" RCP	LF	600	30.00	\$ 18,000
18" RCP	LF	400	40.00	\$ 16,000
ODOT 304 STONE	CY	800	35.00	\$ 28,000
ODOT 301 ASPHALT BASE	CY	300	65.00	\$ 19,500
ODOT 404 ASPHALT SURFACE	CY	200	65.00	\$ 13,000
TENSAR GEOGRID	sy	2800	1.00	\$ 2,800
EMBANKMENT	CY	200	2.00	\$ 400
EXCAVATION	CY	200	2.00	\$ 400
TOPSOIL AND SODDING	SY	1000	4.00	\$ 4,000
ADJUST EXISTING UTILITIES	LS	1	10000.00	\$ 10,000
WATERWORKS	LS	1	30000.00	\$ 30,000
MAINTAINING TRAFFIC	LS	1	10000.00	\$ 10,000

TOTAL ESTIMATED COST

\$260,800

I HEREBY CERTIFY THIS TO BE AN ACCURATE ESTIMATE OF THE PROPOSED PROJECT. THE USEFUL LIFE OF THIS PROJECT IS 20 YEARS.

Daniel W. Schoster, P.E





## ROADS & MAINTENANCE DEPARTMENT PARKS


6303 HARRISON AVENUE • CINCINNATI, OHIO 45247-6498 • (513) 574-8832

I <u>Stephen E. Grote</u>, hereby certify as Green Township Clerk, that the funds being used as the local share for the <u>North Glen Road</u> (east) <u>Reconstruction</u> project will be encumbered in January, 1997 and will be available July 1, 1997. These funds total 30% of the estimated construction cost or <u>\$78,240.00</u>.

SIGNATURE

TITLE

DATE



## FINANCIAL REPORT OF TOWNSHIP

For Fiscal Year Ending December 31, 1995

GREEN Township, County of HAMILTON

## SUMMARY OF CASH BALANCES, RECEIPTS AND EXPENDITURES

Line	sova	CE DESCRIPTION		DIMENTAL	TOTAL EXPENDABLE TRUST AND AGENCY FUNDS		NOH- EXPENDABLE TRUST FUNDS	TOTALS
No.			<u>'</u>	UNDS	<u> </u>			FUND BALANCE
Ö1	ŘĚČEJPŤŠ:			REVENUE	RECEIPTS 医角形型状	TE THE ST	OPERATING ASSESSMENT	6,537,694.12
03	Charges for Ser	vices	<u>,,,,</u>	7,694.12		7.20	And a feet a feet a feet a	2,337,034.12
04	Licenses, Permi		<del> </del>	8,090,98		100	AN THE SUCCESSION	8,090.98
05	Fines and Forle		3	7:128:74		说从宋远	2018年12日12日12日12日12日12日12日12日12日12日12日12日12日1	37,128,74
08	(n)ergovernmen		3.02	18,457.14		all charge	ARLESS SANDERS PORCE	3,038,457.14
07	Special Assess: Interest	nents		3,887,98		04	CONTRACTOR OF THE CONTRACTOR O	273,887.98
40	Gills				STREET,	05		273,007.50
03	All Other Reven		32	5,150.20	22,876,54	06		348,026.74
10	TOTAL RECEIP		9.22	0.409.16		08		9,243,285,70
13	OISBURSEMEN Congral Govern		ļ,	5.970.79	DISBURSEMENTS	PARTITION I	编 OPERATING 初 编 DISBURSEMENTS 特	513795361936934321 1.155.277.61
14	Public Salety	Height		<del>[3;8(9:67</del>				4,219,234,02
15	Public Works	-		2,761.11			resident production of	12,104,095.11
16	Health			4,966.80		加州正常	<b>学出的对比对形式的对比对</b>	54,966.80
17	Human Service		ļ,	<del>(1   1   1   1   1   1   1   1   1   1  </del>	10 ((5 00	进入线过		113 823 32
1A 19	Conservation-Fi Miscellaneous	cultarum	1 1	12,178.26	10.002.00	TENTER PER	Meleocopy of the meleon	112,843.26
20	Capital Cullay		65	12,719.23		13	THE PERSON NAMED IN COLUMN TO A STREET OF THE PERSON NAMED IN COLUMN TO	692,719.23
21	Debl Service						<b>建设的对话的表面积显现的</b>	
55	Bond Princip		<b> </b>			ļ	THE WASHINGTON	
23	Hote Principa		32				成。1990年1990年1997年	
24	PersonalServi	fiscal Charges		18,166.70	<b>国现在时间部外部四层对</b>	10	10月10日 11月1日 11日 1	100,100.70
1-	Contract Servi		37.35	表的形态记号-20mail	Etterstellungstelle der	11		
	Supplies and l		1,11/2/3		THE STATE OF THE S	12		
	TOTAL DISBU	RSEMENTS	я <b>7</b> ч	ii. 359.6R	1 23.720.83	11711-0-2551	CONTROL CONTROL CONTROL CONTROL CONTROL	8,775,080.51
21	Jaral Dagmate C	Iver/(Under) Distr.	7.1223	9,049.48	(844.29)	17	1995 Account Principles	468,205.19
-	Total receptis c	reen(unum) visu.			SOUNCES (USES)	<del>'''-</del>	NON-OPERATING	PROPERTY AND A STATE OF THE PARTY OF THE PAR
79	Proceeds at 8a	ntis			T	AVEL TO	RECEIP IS (INS8 )	
30	Proceeds of No						ALAURAN CAPATRIANA	
31	Operating Trans Operating Trans		15	73.031.66 23.031.66	<u></u>	35		523.031.66 (523.031.66)
33	Advances-In	W13-C01	13.	(),0)1.00	<u> </u>	1	TOTAL DESIGNATION OF THE PROPERTY OF THE PROPE	
34	Advances Out		·			11125777	MARKET STORY	
35	Other Sources/I			34,472.00		29		34,472.00
<u> 36</u>	Olher Uses/Dist		<del>  -</del> :			30		24 472 00
38	TOTAL OTHER F	HANCING SOURCES (USES)  & Other Sources Over (Under)	A 64 14 15 15 15 15 15 15 15 15 15 15 15 15 15	34,472.00	0	, इंद्र साम्युक्त	ere to the little little and the little litt	34,472.00
40	Disbisbinsemen		5 (	) 3 , 5 2 ] , 4 8	(844.29)	40	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	502.677.19
41	Fund Cash Bala		[3, 5]	.8,589.52	1 26.886.28	41		3,545,475,80
47		nce. December 31,		22,111.00				4.048.152.99
13	Reserve for Enc	umbrancos, Dec. 31.	<u> </u>	71,020.13	<u> </u>	43		271,020.13
							Fund Cash Belence	
	IMMARY OF DEDIEDNESS	OUTSTANDING NEW IS	SUES	RETIRED	OUTSTANDING Dec. 31, 199 5	<u> </u>	Depository Salance	260.686.27 4.041.636.83
l					000.31,139]	<del> </del>	invesiment Cash on Hans	
	TOTAL	1,638,888 . स्8		3 2 7 7 7 7 . 7 i	<u>8   1,311,110,90</u>		Total Tressury Balance	
ł				•	•	<u> </u>	Less Outstanding Check:	
TOTAL BALANCE 4, U48, 152.99								
Langilly the following conset to be present and two to the best								
}	I certify the following report to be correct and true, to the best							
of my knowledge:								
	CLERK							
(Chief Fiscal Officer Title)								
1	1							
	Marelen Tragner 3-6-96 6303 HARRISON AVENUE (Chief Fisca) Oliver Sign Above) (Date) (Street Address)							
(0	Tiel Fiscayo	illcer Sign Ábove)	(D	ale)			(Street Add	iress)
	`							
١,	<b>ARILYN</b>	WAGNER (513)5	14-41	348	CINC	ANNI	TI,	Ohio 45247
				<del></del> -		y or Villa		(Zip)
}	(Type or Prini	Name) Telep	140418		(CII	וא הו אוווי	añe)	(Δ.μ)
ŀ								
Δ	UD-4254 A-9	5						



## administration offices

6303 harrison avenue · cincinnati, ohio 45247-6498 · (513) 574-4848/fax 574-6260

#### RESOLUTION #96-0826- D

## DIRECTING ROAD SUPERINTENDENT TO APPLY FOR FINANCIAL ASSISTANCE IN 1996 FROM OHIO PUBLIC WORKS COMMISSION

#### BY THE BOARD:

WHEREAS, the Hamilton County Engineer has notified all Hamilton County Jurisdictions that the District #2 (Hamilton County) Integrating Committee will be accepting applications for 1997 Ohio Public Works Commission financial assistance through September 27, 1996; and

WHEREAS, our Public Works Director and Road Superintendent have reviewed our streets that are in need of complete reconstruction or intense rehabilitation and decided that Krierview Drive, Northgate Drive, and North Glen Road (east) have the best chance of being approved for financial assistance; and

WHEREAS, our Public Works Director and Road Superintendent are of the opinion that it would be prudent to offer thirty percent (30%) as matching funds to make the projects acceptable for approval; and

WHEREAS, our Superintendent of Roads prepared the following projects construction cost estimates:

PROJECT NAME & STREETS INCLUDED	EST. TWP. COST \$	EST. GRANT COST \$	EST. TOTAL COST \$
Krierview Drive Reconstruction Entire length	149,010.	347,690.	496,700.
Northgate Drive Reconstruction Entire length	116,273.	271,302.	387,575.
North Glen Road (east) Reconstruction From Aurora Ave. to East Terminus	78,240.	182,560.	260,800.
TOTALS	\$343,523.	\$801,552. \$	1,145,075.

WHEREAS, Ohio Revised Code 5571.01 gives the Township Trustees authority to construct, reconstruct, resurface or improve any public road or part thereof under their jurisdiction; and

WHEREAS, all of the streets mentioned in this resolution are part of the Township Road System under the jurisdiction of this Board of Trustees.



NOW THEREFORE BE IT RESOLVED that this Board does hereby order its Superintendent of Roads to prepare the necessary application for Ohio Public Works Commission financial assistance for the above street projects based on Township matching funds in the amount of thirty percent (30%) of contract cost. Also, direct its Superintendent of Roads, as Chief Executive Officer for the Township, to execute this application and submit it to the proper authorities.

ADOPTED AT THE REGULAR MEETING of the Board of Township Trustees of Green Township, Hamilton County, Ohio the 26th day of August, 1996.

Mr. Upton Yes


Mr. Proffitt Yes

Mr. Seitz Yes

#### CERTIFICATE OF CLERK

IT IS HEREBY CERTIFIED that the foregoing is a true and correct transcription of a resolution adopted by the Board of Trustees in session this 26th day of August, 1996.

Stephen E. Grote Green Township Clerk Hamilton County, Ohio



## ADDITIONAL SUPPORT INFORMATION

For Program Year 1997 (July 1, 1997 through June 30, 1998), jurisdictions shall provide the following support information to help determine which projects will be funded. Information on this form must be accurate, and where called for, based on sound engineering principles. Documentation to substantiate the individual items may be required by the Support Staff if information does not appear to be accurate.

1)	What is the condition of the be replaced, repaired, or exp a copy of the current State f	anded? For bridges	
	Closed	Poor X	
	Fair	Good	
surf subs sigh capa	Give a brief statement of the ent facility such as: inadecace type and width; number of tandard design elements such to distances, drainage structity. If known, give the approximate replaced, repaired, or expanse	quate load capaci f lanes; structura as berm width, gra tures, or inadequ kimate age of the in	ty (bridge); .l condition; .des, curves, .ate service
Pave	ement and sub-grade requires re	construction as pe	r enclosed geotech
One #548	failed sewer section has cause 88. Insufficient storm sewer. Seed water in cul-de-sac.  If State Capital Improvement soon (in weeks or months) Agreement from OPWC (tentative the project be under contractive reviewing status reports of particul project schedule.	d severe pavement of everely deteriorate of the severe pavement of the severe pavement of the severe pavement of the support o	sinking at house ad curb.Icing from awarded, how the Project , 1997) would taff will be o help judge
	weeks months (Ci	rcle one)	
	Are preliminary plans or engin	neering completed?	Yes No
	Are detailed construction plan	ns completed?	Yes No
	Are all right-of-way and easem	ents acquired?*	Yes No N/A
	*Please answer the following	if applicable:	
	No. of parcels needed for pro	ject:Of	these, how
	many are Takes, Tempor	ary, Perma	anent
	On a separate sheet, explain the process of this project for an		
	Are all utility coordinations	completed?	Yes No N/A
	Give an estimate of time, in w		

safety includerates, hazard Please	y and welfare de the effec , emergency ds, user ber	tts of the complete response time, fi nefits, commerce, a and provide docume	the general health, ? (Typical examples maded project on accider re protection, health and highway capacity. Intation if necessary to the second processary to the second process proces	it :h :)
Repai	r of failed s	storm sewer will add	ress both localized fl	ooding
and s	evere pavemen	nt settling which re	sults in unsafe drivin	9.
condi	tions. Bligh	nting effect to be r	emoved from neighborho	<u>o d</u>
thus	enhancing pro	operty values.		
this p	ype of funds project?	are to be utilized ODOT	for the local share fo ${ t Local} \ { t X}$	r
MRF	<del></del>	AGWO	CDBG	
Other			<del></del>	
Note:	MRF applicat	tion must have been	the local share, the filed by August 1, 199 ton County Engineer's	6
share)	must be at : ercentage of	least 10% of the TOT	r grant projects (loca PAL CONSTRUCTION COST. Deing committed to thi	
3	30 %			
agency expans exampl morato A copy	resulted in ion of use for es include we riums or limbor of the approation. THE BA	a complete or partion the involved infreight limits, truck itations on issuance wed legislation mus-	te, or local governmen al ban of the use or astructure? (Typical restrictions, and of building permits. t be submitted with th EERING JUSTIFICATION T	) e
Comple	te Ban	_ No Ban	<u>X</u>	
Will th	he ban be rem	moved after the proj	ect is completed?	
Yes	No _	to in the second se		

For roads and bridges, multiply current documented Average Daily Traffic by 1.20. For public transit, submit documentation substantiating the count. Where the facility currently has any restrictions or is partially closed, use documented traffic counts prior to the restriction. For storm sewers, sanitary sewers, water lines, and other related facilities, multiply the number of households in the service area by 4. NOTE: DOCUMENTATION MUST BE PROVUDED FOR COUNTS OF 4,000 ADT AND ABOVE, AND HAVE THE DOCUMENTATION CERTIFIED BY EITHER A LICENSED ENGINEER OR THE C.E.O. OF THE SUBDIVISION.  Has the jurisdiction developed a Five Year Capital Improvement Plan as required in O.R.C., chapter 164?  YesX No		What is the total number of existing users that will benefit as a result of the proposed project?
Daily Traffic by 1.20. For public transit, submit documentation substantiating the count. Where the facility currently has any restrictions or is partially closed, use documented traffic counts prior to the restriction. For storm sewers, sanitary sewers, water lines, and other related facilities, multiply the number of households in the service area by 4. NOTE: DOCUMENTATION MUST BE PROVIDED FOR COUNTS OF 4.000 ADT AND ABOVE, AND HAVE THE DOCUMENTATION CERTIFIED BY FITHER A LICENSED ENGINEER OR THE C.E.O. OF THE SUBDIVISION.  Has the jurisdiction developed a Five Year Capital Improvement Plan as required in O.R.C., chapter 164?  Yes X No  Give a brief statement concerning the regional significance of the infrastructure to be replaced, repaired, or expanded.  Residential street.  For expansion projects, please provide the existing and proposed Level of Service (LOS) of the facility using the methodology outlined within AASHTO'S "Geometric Design of Highways and Streets" and the 1985 Highway Capacity Manual.  Existing LOS Proposed LOS Is not "C" or better, explain why LOS "C".		588 VPD
Yes _ X No  Give a brief statement concerning the regional significance of the infrastructure to be replaced, repaired, or expanded.  Residential street.  For expansion projects, please provide the existing and proposed Level of Service (LOS) of the facility using the methodology outlined within AASHTO'S "Geometric Design of Highways and Streets" and the 1985 Highway Capacity Manual.  Existing LOS Proposed LOS  If the proposed LOS is not "C" or better, explain why LOS "C"		documentation substantiating the count. Where the facility currently has any restrictions or is partially closed, use documented traffic counts prior to the restriction. For storm sewers, sanitary sewers, water lines, and other related facilities, multiply the number of households in the service area by 4. NOTE: DOCUMENTATION MUST BE PROVIDED FOR COUNTS OF 4,000 ADT AND ABOVE, AND HAVE THE DOCUMENTATION CERTIFIED BY
Give a brief statement concerning the regional significance of the infrastructure to be replaced, repaired, or expanded.  Residential street.  For expansion projects, please provide the existing and proposed Level of Service (LOS) of the facility using the methodology outlined within AASHTO'S "Geometric Design of Highways and Streets" and the 1985 Highway Capacity Manual.  Existing LOS Proposed LOS		Has the jurisdiction developed a Five Year Capital Improvement Plan as required in O.R.C., chapter 164?
Residential street.  For expansion projects, please provide the existing and proposed Level of Service (LOS) of the facility using the methodology outlined within AASHTO'S "Geometric Design of Highways and Streets" and the 1985 Highway Capacity Manual.  Existing LOS Proposed LOS	•	Yes X No
For expansion projects, please provide the existing and proposed Level of Service (LOS) of the facility using the methodology outlined within AASHTO'S "Geometric Design of Highways and Streets" and the 1985 Highway Capacity Manual.  Existing LOS Proposed LOS	(	the initastructure to be replaced, repaired, or expanded.
proposed Level of Service (LOS) of the facility using the methodology outlined within AASHTO'S "Geometric Design of Highways and Streets" and the 1985 Highway Capacity Manual.  Existing LOS Proposed LOS  If the proposed LOS is not "C" or better, explain why LOS "C"	-	Residential street.
proposed Level of Service (LOS) of the facility using the methodology outlined within AASHTO'S "Geometric Design of Highways and Streets" and the 1985 Highway Capacity Manual.  Existing LOS Proposed LOS  If the proposed LOS is not "C" or better, explain why LOS "C"		
proposed Level of Service (LOS) of the facility using the methodology outlined within AASHTO'S "Geometric Design of Highways and Streets" and the 1985 Highway Capacity Manual.  Existing LOS Proposed LOS  If the proposed LOS is not "C" or better, explain why LOS "C"	-	
proposed Level of Service (LOS) of the facility using the methodology outlined within AASHTO'S "Geometric Design of Highways and Streets" and the 1985 Highway Capacity Manual.  Existing LOS Proposed LOS  If the proposed LOS is not "C" or better, explain why LOS "C"		
proposed Level of Service (LOS) of the facility using the methodology outlined within AASHTO'S "Geometric Design of Highways and Streets" and the 1985 Highway Capacity Manual.  Existing LOS Proposed LOS  If the proposed LOS is not "C" or better, explain why LOS "C"	_	
proposed Level of Service (LOS) of the facility using the methodology outlined within AASHTO'S "Geometric Design of Highways and Streets" and the 1985 Highway Capacity Manual.  Existing LOS Proposed LOS  If the proposed LOS is not "C" or better, explain why LOS "C"		
proposed Level of Service (LOS) of the facility using the methodology outlined within AASHTO'S "Geometric Design of Highways and Streets" and the 1985 Highway Capacity Manual.  Existing LOS Proposed LOS  If the proposed LOS is not "C" or better, explain why LOS "C"		
proposed Level of Service (LOS) of the facility using the methodology outlined within AASHTO'S "Geometric Design of Highways and Streets" and the 1985 Highway Capacity Manual.  Existing LOS Proposed LOS  If the proposed LOS is not "C" or better, explain why LOS "C"		
If the proposed LOS is not "C" or better, explain why LOS "C"	יו דו	proposed Level of Service (LOS) of the facility using the methodology outlined within AASHTO'S "Geometric Design of
If the proposed LOS is not "C" or better, explain why LOS "C" cannot be achieved. (Attach separate sheets if necessary.)	€,	xisting LOS Proposed LOS
		f the proposed LOS is not "C" or better, explain why LOS "C" annot be achieved. (Attach separate sheets if necessary.)
	_	
	_	

from two of the four cores indicate that initial strength of the concrete is not a likely cause of the pavement problems, particularly since not all areas of the pavement have deteriorated.

Finally, control joints may be spaced too far apart for proper performance or they may not have been maintained adequately such that they continue to allow for expansion and contraction of the concrete section. Reinforcement of the concrete sections can also prolong pavement life.

Overall, any number of the factors discussed above have created a condition which appears to be irreversible. The pavement, as is, will require frequent periodic repairs to maintain the roadway, or the roadway could be totally rebuilt from the subgrade up. It is our recommendation, based upon the findings included herein, that serious consideration be given to the pavement being reconstructed upon a reconditioned subgrade. If you have any questions or would like additional geotechnical consultation concerning this project, please do not hesitate to contact us.

CCH:DBT:alp 96508NT

EXCERPT FROM CONCLUSION SECTION

OF GEOTECH REPORT. ENTIRE REPORT

ALSO SUBMITTED.

## Condition Rating Form

Road Section: 86.00 State Route: 86

Survey Date: 12/20/95

Name: NORTH GLEN ROAD

Jurisdiction: Township

From: AURORA AVE - 21.0

Length: 965.00 ft

To: TERMINUS (EAST) - 15.0

Area: 2680.56 vd2

Ride Quality Index(RQI): 1

% Curb Deterioration: 30

Maintenance Index(MI): 2

Maintenance Factor(MF): 1.2

Classification: Collector

Class Factor(FC): 1.1

Average Daily Traffic(ADT): 750

Traffic Factor(TF): 30

Transit/Bus Route: No

Transit Factor(TR): 1.0

Pavement Type: Composite

Unit Cost: \$80.00

Distress Type	Severity	Category	Extent	Deduction
> Swell	3	2	2	2.5
> Bond Loss	2	2	4	35
> n-f1ti a 11	J	2	2	35
> Reflective Cracking	3	2	4	40
Slippage Cracking	0		ñ	Λ
> Weathering & Ravelling	3	1	3	25
> Patch Deterioration	_		J	25
- Idean pecelioration	2	1	2	10
	0		0	0
	0		0	ō
Cracke	0		0	ō

Cracks:

Rated By: GT/PWD ABG

Pavement Condition Index(PCI): 1

Strategy: E

Priority Index(PI): 39.60

Cost: \$214444.80

Legend

RQI:

0 = Worst

5 = Best

MI/MF:

0 = Least Needed

5 = Most Needed MF = 1+(MI/10)

Severity: 0 = None

1 = Low

2 = Moderate

3 = High

Category:

1 = Surface Related

2 = Structural Related

Extent:

0 = None

1 = 1-5%

2 = 6-25%

3 = 26-50%

4 = 51-100%

PCI = 1 if zero

Strategy/ A1= No Maintenance/\$0.00

Unit Cost: B = Periodic Maintenance/\$0.50

A = Routine Maintenance/\$0.30 C = Deferred Action/\$0.10

D = Rehabilitation/\$21.00

PCI = 100 - Sum(deduct values)

E = Reconstruction/\$80:00

PI = 1/PCI \* TR \* TF \* FC \* MF

Cost = Unit Cost \* Area

TELE-V	ACTV INVES	TIGATION	V <i>(513)398-452</i>	77	·			
Date:			(020,000 202		page / of /			
Area:	-	Investigator: Sub-Area:	- CD - T N		Video Tape #:			
	Address & Date:	Nag	GRN. Tup		Video Footage:         0000 - 01615           Weather:         60°			
	MH Address:	11	maren ~.		Type of Pipe: Co No.			
	m MH Address:	//	.,		Pipe Size: 12" : 18"			
Line Location	ion: ST. L	LANE 7	Торо#:		Pipe Length: 3' 2'			
Surface Cov	ver: 人	ISPHALT		1	TVd Distance:			
	MEASUREMENTS: ound Distance:			MANHOLE				
	ound Distance: Being Investigated:			DEPTHS	DSMH: MH B 11.6			
	. <u></u>							
Footage	Remarks			Footage	Remarks			
	C.BIDS+	MHA	7		Shape Loss - eggshape			
0.0	c.B1	<u>V </u>		55, 4				
12,	мна Р.	) and I maken	-1/	63'	Tap Right			
	C.B 2 Ds to	•	_ OK		, •			
2.0		<u>) /744</u>		103'	TAPLEST			
0.0	C.B.2			198,	Tup Right			
אר' ביר	MHA P.P	•	: 0 <sup>K</sup>	160'	Tup Right			
	MHB US to	<u>C.B.3</u>		181'	TAPLEST			
	MHB				Tup Right			
6'	c.g. 3			238.	Taplest			
	MHB US F	0 C.B4		L I	BREAKIN TOP RYNTO"			
0.0	ЛНВ			389.	MHA			
ეე.:	C.B4				C.B. 5 Looking Down.			
	MHB us tow	JARD MHA		<del>                                     </del>	Pipe Lanken ak			
0.0	MHR			ļ	-			
4'	TAP LEFT	<del></del>						
7'-280'	CRICKS DIC	· 6.6°C 13'	'C49'C					
16'	TAO Right							
	10 1 AD K. 2 ATT C. B. 2 ATT C. B. 3 ATT C. B. 4 ATT C. B. 4 ATT C. B. 4 ATT C. B. 4 ATT C. B. 5 ATT C							

TO:	Fred Schlimm	FROM:	M. Donovan
	1		
SUBJECT:	Sunken Area		DATE: 4-4-96
MESSAGE:			
	Sandy Childers, North	Glen, 574-3655 ı	reported that at 5488 North
			7. This was on Voicemail.
		Tem	sorary patch of suchen
		au	a, Caller Told of
		SC	porang patch of suchen a. Caller told of 17 plans
REDIFORM .		SIGNED:	dB-file of
15468/4P468 POLYP	AK (50 SETS) NO REPLY NECESSARY	REPLY REQUESTED -	USE REVERSE SIDE CARBONLESS SPEEDISE

# SCIP/LTIP PROGRAM ROUND 11 - PROGRAM YEAR 1997 PROJECT SELECTION CRITERIA JULY 1, 1997 TO JUNE 30, 1998

# ADOPTED BY THE INTEGRATING COMMITTEE May 24, 1996

1)

2)

JURISDICTIO	N/ACENCY: SPECIAL TIME
NAME OF PRO	
PRELIMINARY	SCORE FOR THIS PROJECT: 56/75
FINAL SCORE	FOR THIS PROJECT:
RATING TEAM	
If SCIP/LTI contract be	P funds are granted, when would the construction awarded?
10 Points -	Will be under contract by end of 1997 and no delinquent projects in Rounds 8 & 9.  **No Plu request**
5 Points -	Will be under contract by March 30, 1998 and/or jurisdiction has had one delinquent project in Rounds 8 & 9.
0 Points -	Will not be under contract by March 30, 1998 and/or jurisdiction has had more than one delinquent project in Rounds 8 & 9.
25 Points - 23 Points - 20 Points - 17 Points - 15 Points -	Critical Very Poor Poor Poor Moderately Poor  Complete Joint  Complete Joint  Complete Joint  Complete Joint  Complete Joint  Moderately Poor
5 Points -	Moderately Fair Fair Condition Good or Better

NOTE: If the infrastructure is in "good" or better condition, it will NOT be considered for SCIP/LTIP funding unless it is an expansion project that will improve serviceability.

3)	If the project is built, what will be its effect on the facility's serviceability? Documentation is required.
	5 Points - Project design is for future demand. 4 Points - Project design is for partial future demand. 5 Points - Project design is for current demand. 6 Points - Project design is for minimal increase in capacity. 7 Point - Project design is for no increase in capacity.
4)	How important is the project to HEALTH, SAFETY, AND WELFARE of the public and the citizens of the District and/or service area?
	10 Points - Highly significant importance, with substantial impact on all 3 factors.
	8 Points - Considerably significant importance, with substantial impact on 2 factors, or noticeable impact on all 3 factors.
	6 Points - Moderate importance, with substantial impact on 1 factor or noticeable impact on 2 factors.
	4 Points - Minimal importance, with noticeable impact on 1 factor
	2 Points - No measurable impact NOTHERSEE SALETY (ICHE/NEUL-DE SAC) FNOTHERBEE NEGLTY (RELON, OF STURM SEWER) - ZERCTORS
5)	What is the overall economic health of the jurisdiction?
	10 Points 8 Points 6 Points 4 Points 2 Points
5)	What matching funds are being committed to the project, expressed as as a percentage of the <i>TOTAL CONSTRUCTION COST?</i> Loan and Credit Enhancement projects automatically receive 5 points, and no match is required. All grant funded projects require a minimum of 10% matching funds.
	5 Points - 50% or more 4 Points - 40% to 49.99% 3 Points - 30% to 39.99% 2 Points - 20% to 29.99% 1 Point - 10% to 19.99%

- 7) Has any formal action by a federal, state, or local government agency resulted in a partial or complete ban of the usage or expansion of the usage for the involved infrastructure? POINTS MAY ONLY BE AWARDED IF THE END RESULT OF THE PROJECT WILL CAUSE THE BAN TO BE LIFTED.
  - 5 Points Complete ban
  - 3 Points Partial ban
  - 0 Points No ban of any kind
- What is the total number of existing daily users that will benefit as a result of the proposed project? Appropriate criteria include current traffic counts, households served, when converted to a measurement of persons. Public transit users are permitted to be counted for the roads and bridges, but only when certifiable ridership figures are provided.
  - 5 Points 16,000 or more
  - 4 Points 12,000 to 15,999
  - 3 Points 8,000 to 11,999
  - 2 Points 4,000 to 7,999
  - 1 Point 3,999 and under
- 9) Does the infrastructure have regional impact? Consider originations and destinations of traffic, functional classifications, size of service area, number of jurisdictions served, etc.
  - 5 Points Major impact
  - 4 Points -
  - 3 Points Moderate impact
  - 2 Points -
  - 1 Point Minimal or no impact
- 10) Has the jurisdiction enacted the optional \$5 license plate fee, an infrastructure levy, a user fee, or a dedicated tax for infrastructure and provided certification of which fees have been enacted?
  - 5 Points Two of the above
  - 3 Points One of the above
  - 0 Points None of the above

25

# ADDENDUM TO THE RATING SYSTEM DEFINITIONS/CLARIFICATIONS

## Criterion 1 - ABILITY TO PROCEED

The Support Staff will assign points based on engineering experience and OPWC defined delinquent projects. A project is considered delinquent when it has not received a notice to proceed within the time stated on the original application and no time extension has been granted by the OPWC. A jurisdiction receiving approval for a project and subsequently cancelling the same after the bid date on the application may be considered as having a delinquent project.

#### Criterion 2 - CONDITION

Condition is based on the amount of deterioration that is field verified or documented exclusive of capacity, serviceability, or health, safety and welfare issues. Condition is rated only on the existing facility being repaired or abandoned. If the existing facility is not being abandoned or repaired, but a new facility is being built, it shall be considered as an expansion project. (Documentation may include ODOT BR-86 reports, pavement management condition reports, televised underground system reports, age inventory reports, maintenance records, etc., and will only be considered if included with the original application.)

## Definitions:

<u>FAILED CONDITION</u> - Requires complete reconstruction where no part of the existing facility is salvageable. (e.g. Roads: complete reconstruction of roadway, curbs and base; Bridges: complete removal and replacement of bridge; Underground: removal and replacement of an underground drainage or water system; Hydrants: completely non-functioning and replacement parts are unavailable.)

<u>CRITICAL CONDITION</u> - Requires moderate or partial reconstruction to maintain integrity. (e.g. Roads: reconstruction of roadway, curbs can be saved; Bridges: removal and replacement of bridge with abutment modification; Underground: removal and replacement of part of an underground drainage or water system; Hydrants: some non-functioning, others obsolete and replacement parts are unavailable.)

<u>VERY POOR CONDITION</u> - Requires extensive rehabilitation to maintain integrity. (e.g. Roads: extensive full depth, partial depth and curb repair of a roadway with a structural overlay; Bridges: superstructure replacement; Underground: repair of joints and/or minor replacement of pipe sections; Hydrants: non-functioning and replacement parts are available.)

<u>POOR CONDITION</u> - Requires standard rehabilitation to maintain integrity. (e.g. Roads: moderate full depth, partial depth and curb repair to a roadway with no structural overlay needed or structural overlay with minor repairs to a roadway needed; Bridges: extensive patching of substructure and replacement of deck; Underground: insituform or other in ground repairs; Hydrants: functional, but leaking and replacement parts are unavailable.)

MODERATELY POOR CONDITION - Requires minor rehabilitation to maintain integrity. (e.g. Roads: minor full depth, partial depth or curb repairs to a roadway with either a thin overlay or no overlay needed; Bridges: major structural patching and/or major deck repair; Hydrants: functional and replacement parts are available.)

MODERATELY FAIR CONDITION - Requires extensive maintenance to maintain integrity. (e.g. Roads: thin or no overlay with extensive crack sealing, minor partial depth and/or slurry or rejuvenation; Bridges: minor structural patching, deck repair, erosion control.)

FAIR CONDITION - Requires routine maintenance to maintain integrity. (e.g. Roads: slurry seal, rejuvenation or routine crack sealing to the roadway; Bridges: minor structural patching.)

GOOD OR BETTER CONDITION - Little or no maintenance required to maintain integrity.

Criterion 4 - HEALTH, SAFETY & WELFARE

## Definitions:

SAFETY - The design of the project will prevent accidents, promote safer conditions, and eliminate or reduce the danger of risk, liability, or injury.

EXAMPLES: Widening existing roadway lanes to standard lane widths; Adding lanes to a roadway or bridge to increase capacity or alleviate congestion; replacing old or non-functioning hydrants; increasing capacity to a water system, etc.

 $\frac{\mathrm{HEALTH}}{\mathrm{The}}$  - The design of the project will improve the overall condition of the facility so as to reduce or eliminate disease; or correct concerns regarding the environmental health of the area.

EXAMPLES: Improving or adding storm drainage or sanitary facilities; replacing lead joints in water lines;

 ${\underline{\mathtt{WELFARE}}}$  - The design of the project will promote economic well-being and prosperity.

EXAMPLES: Project has the potential to improve business expansions or opportunities in the area; project will improve the quality of life in the area;

<u>PLEASE NOTE:</u> The examples listed above are NOT a complete list, but only a small sampling of situations that may be relevant to any given project. Each project is looked at on an individual basis to determine if any aspects of this rating category apply.

Criterion 9 - REGIONAL IMPACT

## Definitions:

<u>MAJOR IMPACT</u> - Roads: major multi-jurisdictional route, primary feed to an interstate, Federal Aid Primary routes; Underground: primary water or sewer main serving and entire system; Hydrants: multi-jurisdictional.

MODERATE IMPACT - Roads: principal thoroughfares, Federal Aid Urban routes; Underground: primary water or sewer main serving only part of a system; Hydrants: all hydrants in a local system serving only one jurisdiction.

MINIMAL/NO IMPACT - Roads: cul-de-sacs, subdivision streets; Underground: individual water or sewer main not part of a large system; Hydrants: only some hydrants in a local system serving only one jurisdiction.